

Declaration of Performance  
QUARTZ

2015/01 Technological Quartz

QUARTZ	DPD	GROUP
AZABACHE LACTEA TITANEO	DP Q06001072013	6
ABSOLUTE BLANC CARRARA PERLINO	DP Q07001072013	7
BEIGE ZEMENT BOTTICINO COOL GRAY DIM GRAY GLACIAR GRAY ZEMENT ICE ZEMENT SMOKE GRAY VANILLE WARM GRAY WHITE ZEMENT	DP Q08001072013	8
ALASKA NEW PASSION	DP Q09001072013	9
LUNA MOON PLOMO SNOW VENEZIA	DP Q10001072013	10
ARENA CENIZA MOKA NOCTURNO	DP Q11001072013	11
IMPERIAL PORTORO	DP Q12001072013	12
BLACK AMA BROWN AMA WHITE AMA	DP Q130030062014	13

## DECLARATION OF PERFORMANCE Nº Q06001072013

### 1. Unique identification code of the product type.

Tiles of agglomerated stone.

AZABACHE, LACTEA, RUBÍ, TITANEO, CHEROKEE, MEDITERRANEO, UNIVERSO, NOUGAT, LAREDO.

### 2. Name, registered trade name and contact address of the manufacturer:

SILICALIA PORTUGAL S.A./COMPAC The Surfaces Company  
EN 118, Vale do Feto 2205-304 Pego, Portugal

### 3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Internal modular tiles for flooring and stairs.

### 4. System or systems of assessment and verification of constancy of performance of the construction product: 3 / 4

### 5. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

AIDIMA [13/LE246](#)

Reaction to fire test. Number 0909025-02 CL, 0909025-04 CL and 0909025-05 CL  
25<sup>th</sup> of February, 2010.

System of assessment and verification of constancy of performance: 3

## 6. Declared performance.

Essential characteristics	Performance	Harmonised technical specification
Water tightness (water absorption)	Class W3	EN 15285
Breaking Strength (flexural strength)	Class F3	
Reaction to fire	A2fls1	
Slipperines	Polished: 7 wet / 45 dry Matt: 15 wet / 52 dry Ovo: 17 wet / 58 dry	
Tactility/Visibility	NPD	
Thermal conductivity	1.86 W/m·K	
Durability	Non relevant	

The performance of the product identified in point 1 is in conformity with the declared performance in point 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Signed for and on behalf of SILICALIA PORTUGAL S.A:

Francisco Sanchis (CEO)



Pego, July 1<sup>st</sup>, 2013

## DECLARATION OF PERFORMANCE Nº Q07001072013

**1. Unique identification code of the product type.**

Tiles of agglomerated stone.

ABSOLUTE BLANC, PERLINO, CARRARA

**2. Name, registered trade name and contact address of the manufacturer:**

SILICALIA PORTUGAL S.A./COMPAC The Surfaces Company  
EN 118, Vale do Feto 2205-304 Pego, Portugal

**3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:**

Internal modular tiles for flooring and stairs.

**4. System or systems of assessment and verification of constancy of performance of the construction product: 3 / 4**

**5. In case of the declaration of performance concerning a construction product covered by a harmonised standard:**

AIDIMA [13/LE246](#)

Reaction to fire test. Number 0909025-02 CL, 0909025-04 CL and 0909025-05 CL  
25<sup>th</sup> of February, 2010.

System of assessment and verification of constancy of performance: 3

## 6. Declared performance.


Essential characteristics	Performance	Harmonised technical specification
Water tightness (water absorption)	Class W3	EN 15285
Breaking Strength (flexural strength)	Class F4	
Reaction to fire	A2fls1	
Slipperiness	Polished: 7 wet / 45 dry Matt: 15 wet / 52 dry Ovo: 17 wet / 58 dry	
Tactility/Visibility	NPD	
Thermal conductivity	1.86 W/m·K	
Durability	Non relevant	

The performance of the product identified in point 1 is in conformity with the declared performance in point 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Signed for and on behalf of SILICALIA PORTUGAL S.A:

Francisco Sanchis (CEO)



Pego, July 1<sup>st</sup>, 2013

## DECLARATION OF PERFORMANCE Nº Q08001072013

**1. Unique identification code of the product type.**

Tiles of agglomerated stone.

GLACIAR, VANILLE, CHOCOLAT, NERO, BOTTICINO, NOCE, DARK GRAY, DIM GRAY, COOL GRAY,  
SMOKE GRAY, WARM GRAY

**2. Name, registered trade name and contact address of the manufacturer:**

SILICALIA PORTUGAL S.A./COMPAC The Surfaces Company  
EN 118, Vale do Feto 2205-304 Pego, Portugal

**3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:**

Internal modular tiles for flooring and stairs.

**4. System or systems of assessment and verification of constancy of performance of the construction product: 3 / 4**

**5. In case of the declaration of performance concerning a construction product covered by a harmonised standard:**

AIDIMA [13/LE246](#)

Reaction to fire test. Number 0909025-02 CL, 0909025-04 CL and 0909025-05 CL  
25<sup>th</sup> of February, 2010.

System of assessment and verification of constancy of performance: 3

**6. Declared performance.**


Essential characteristics	Performance	Harmonised technical specification
Water tightness (water absorption)	Class W4	EN 15285
Breaking Strength (flexural strength)	Class F4	
Reaction to fire	A2fls1	
Slipperiness	Polished: 7 wet / 45 dry Matt: 15 wet / 52 dry Ovo: 17 wet / 58 dry	
Tactility/Visibility	NPD	
Thermal conductivity	1.86 W/m·K	
Durability	Non relevant	

The performance of the product identified in point 1 is in conformity with the declared performance in point 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Signed for and on behalf of SILICALIA PORTUGAL S.A:

Francisco Sanchis (CEO)



Pego, July 1<sup>st</sup>, 2013

## DECLARATION OF PERFORMANCE Nº Q09001072013

**1. Unique identification code of the product type.**

Tiles of agglomerated stone.

COCO, ALASKA, APPLE, PACIFIC, ORANGE, FUCSIA, PASSION, SILVER

**2. Name, registered trade name and contact address of the manufacturer:**

SILICALIA PORTUGAL S.A./COMPAC The Surfaces Company  
EN 118, Vale do Feto 2205-304 Pego, Portugal

**3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:**

Internal modular tiles for flooring and stairs.

**4. System or systems of assessment and verification of constancy of performance of the construction product: 3 / 4**

**5. In case of the declaration of performance concerning a construction product covered by a harmonised standard:**

AIDIMA [13/LE246](#)

Reaction to fire test. Number 0909025-02 CL, 0909025-04 CL and 0909025-05 CL  
25<sup>th</sup> of February, 2010.

System of assessment and verification of constancy of performance: 3

## 6. Declared performance.


Essential characteristics	Performance	Harmonised technical specification
Water tightness (water absorption)	Class W3	EN 15285
Breaking Strength (flexural strength)	Class F4	
Reaction to fire	A2fls1	
Slipperiness	Polished: 7 wet / 45 dry Matt: 15 wet / 52 dry Ovo: 17 wet / 58 dry	
Tactility/Visibility	NPD	
Thermal conductivity	1.86 W/m·K	
Durability	Non relevant	

The performance of the product identified in point 1 is in conformity with the declared performance in point 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Signed for and on behalf of SILICALIA PORTUGAL S.A:

Francisco Sanchis (CEO)



Pego, July 1<sup>st</sup>, 2013

## DECLARATION OF PERFORMANCE Nº Q10001072013

**1. Unique identification code of the product type.**

Tiles of agglomerated stone.

LUNA, VENECIA, LILA, CUBRICK, PLOMO, SNOW, MOON

**2. Name, registered trade name and contact address of the manufacturer:**

SILICALIA PORTUGAL S.A./COMPAC The Surfaces Company  
EN 118, Vale do Feto 2205-304 Pego, Portugal

**3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:**

Internal modular tiles for flooring and stairs.

**4. System or systems of assessment and verification of constancy of performance of the construction product: 3 / 4**

**5. In case of the declaration of performance concerning a construction product covered by a harmonised standard:**

AIDIMA [13/LE246](#)

Reaction to fire test. Number 0909025-02 CL, 0909025-04 CL and 0909025-05 CL  
25<sup>th</sup> of February, 2010.

System of assessment and verification of constancy of performance: 3

## 6. Declared performance.


Essential characteristics	Performance	Harmonised technical specification
Water tightness (water absorption)	Class W3	EN 15285
Breaking Strength (flexural strength)	Class F4	
Reaction to fire	A2fls1	
Slipperiness	Polished: 7 wet / 45 dry Matt: 15 wet / 52 dry Ovo: 17 wet / 58 dry	
Tactility/Visibility	NPD	
Thermal conductivity	1.86 W/m·K	
Durability	Non relevant	

The performance of the product identified in point 1 is in conformity with the declared performance in point 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Signed for and on behalf of SILICALIA PORTUGAL S.A:

Francisco Sanchis (CEO)



Pego, July 1<sup>st</sup>, 2013

## DECLARATION OF PERFORMANCE Nº Q11001072013

**1. Unique identification code of the product type.**

Tiles of agglomerated stone.

ARENA, MOKA, CENIZA, CAFÉ, NOCTURNO, KENYA

**2. Name, registered trade name and contact address of the manufacturer:**

SILICALIA PORTUGAL S.A./COMPAC The Surfaces Company  
EN 118, Vale do Feto 2205-304 Pego, Portugal

**3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:**

Internal modular tiles for flooring and stairs.

**4. System or systems of assessment and verification of constancy of performance of the construction product: 3 / 4**

**5. In case of the declaration of performance concerning a construction product covered by a harmonised standard:**

AIDIMA [13/LE246](#)

Reaction to fire test. Number 0909025-02 CL, 0909025-04 CL and 0909025-05 CL  
25<sup>th</sup> of February, 2010.

System of assessment and verification of constancy of performance: 3

## 6. Declared performance.


Essential characteristics	Performance	Harmonised technical specification
Water tightness (water absorption)	Class W4	EN 15285
Breaking Strength (flexural strength)	Class F4	
Reaction to fire	A2fls1	
Slipperiness	Polished: 7 wet / 45 dry Matt: 15 wet / 52 dry Ovo: 17 wet / 58 dry	
Tactility/Visibility	NPD	
Thermal conductivity	1.86 W/m·K	
Durability	Non relevant	

The performance of the product identified in point 1 is in conformity with the declared performance in point 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Signed for and on behalf of SILICALIA PORTUGAL S.A:

Francisco Sanchis (CEO)



Pego, July 1<sup>st</sup>, 2013

## DECLARATION OF PERFORMANCE Nº Q12001072013

**1. Unique identification code of the product type.**

Tiles of agglomerated stone.

IMPERIAL, PORTORO

**2. Name, registered trade name and contact address of the manufacturer:**

SILICALIA PORTUGAL S.A./COMPAC The Surfaces Company  
EN 118, Vale do Feto 2205-304 Pego, Portugal

**3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:**

Internal modular tiles for flooring and stairs.

**4. System or systems of assessment and verification of constancy of performance of the construction product: 3 / 4**

**5. In case of the declaration of performance concerning a construction product covered by a harmonised standard:**

AIDIMA [13/LE246](#)

Reaction to fire test. Number 1103201-01 CL, 1103201-02 CL and 1103201-03 CL  
5<sup>th</sup> of May, 2011.

System of assessment and verification of constancy of performance: 3

## 6. Declared performance.


Essential characteristics	Performance	Harmonised technical specification
Water tightness (water absorption)	Class W4	EN 15285
Breaking Strength (flexural strength)	Class F4	
Reaction to fire	A2fls1	
Slipperiness	Polished: 7 wet / 45 dry Matt: 15 wet / 52 dry Ovo: 17 wet / 58 dry	
Tactility/Visibility	NPD	
Thermal conductivity	1.86 W/m·K	
Durability	Non relevant	

The performance of the product identified in point 1 is in conformity with the declared performance in point 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Signed for and on behalf of SILICALIA PORTUGAL S.A.

Francisco Sanchis (CEO)



Pego, July 1<sup>st</sup>, 2013



This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Signed for and on behalf of SILICALIA PORTUGAL S.A:

Francisco Sanchis (CEO)

A handwritten signature in black ink, consisting of a series of loops and a vertical line, positioned below the name Francisco Sanchis.

Pego, July 1<sup>st</sup>, 2013

compac.us  
compac.es

SPAIN

PORTUGAL

USA

UK

BELGIUM

SINGAPORE

UAE

**COMPAC**  
THE SURFACES COMPANY